












































HYDRAULIC MOTOR BLOCKS TYPE BV

BVR 1201  Page 8.1	Scheme 01 
BVS 1201  Page 8.2	
BVR 1203	Scheme 03 
BVS 1203	
BVR 1205  Page 8.5	Scheme 05 
BVS 1205  Page 8.6	

BVR 1202  Page 8.1	Scheme 02 
BVS 1202  Page 8.2	
BVR 1204  Page 8.3	Scheme 04 
BVS 1204  Page 8.4	
BVR 1206  Page 8.7	Scheme 06 
BVS 1206  Page 8.8	
BVT 3406  Page 8.9	






BVR 1207  Page 8.10	Scheme 07 	BVR 1208  Page 8.13	Scheme 08 
BVS 1207  Page 8.11		BVS 1208  Page 8.14	
BVT 3407  Page 8.12		BVT 3408  Page 8.15	
BVR 1209  Page 8.16	Scheme 09 	BVR 1210  Page 8.17	Scheme 10 
	Scheme 11 	BVS 1210  Page 8.18	
		BVR 1212  Page 8.19	Scheme 12 
BDR 1213  Page 8.20	Scheme 13 	BVR 1214 	Scheme 14 
BVR 3815  Page 8.22	Scheme 15 	BVR 3816  Page 8.23	Scheme 16 



**Hidro
Pnevmo
Tehnika**


3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV




BVR ...

Code	Hydraulic scheme
01	
02	



Type	Nom. flow rate	P _{nom.}	Port threads G	O-ring	H
	L/min				
BVR 12..	60	210	G1/2 - DIN 3852	23,6x2,65	35
BVR 78..	60	210	7/8-14UNF - ISO 11926	26x2	38

ORDERING CODE






**Hidro
Pnevmo
Tehnika**




3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV

BVS .. .




Code	Hydraulic scheme
01	
02	



Type	Nom. flow rate	P _{nom.}	Port threads G	O-ring
	L/min			
BVS 12..	60	210	G1/2 - DIN 3852	23,6x2,65
BVS 78..	60	210	7/8-14UNF - ISO 11926	26x2

ORDERING CODE









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV





BVR .. 04/..



Pressure range			
Code	Standard setting (Q=5l/min)	Adj. pressure range	Colour
	bar	bar	-
10	80	10...100	White
25	180	30...250	Yellow

Code	Adjustment
A	Leakproof hex. socket screw
B	Handknob and locknut
C	Sealing cap



Type	Nom. flow rate	P _{max.}	Port threads G
	L/min	bar	-
BVR 1204 /... -...	50	250	G1/2 - DIN 3852

ORDERING CODE

BV R 12 04 / A10 A - B25 A

Type

Hydraulic motor type - code:
MP or MR - **R**

Port threads G - code
G1/2 - **12**

Scheme code:
04

Pressure range code
valve "A":
10; 25

Adjustment code:
A; B; C
(see table above)

Adjustment code:
A; B; C
(see table above)


Pressure range code
valve "B":
10; 25






**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com


HYDRAULIC MOTOR BLOCKS TYPE BV




BVS .. 04/..



Pressure range			
Code	Standard setting (Q=5l/min)	Adj. pressure range	Colour
	bar	bar	-
10	80	10...100	White
25	180	30...250	Yellow



Code	Adjustment
A	Leakproof hex. socket screw
B	Handknob and locknut
C	Sealing cap



Type	Nom. flow rate	P _{max.}	Port threads G
	L/min	bar	-
BVS 1204 /... -...	50	250	G1/2 - DIN 3852

ORDERING CODE

BV S 12 04 / A10 A - B25 A

Type

Hydraulic motor type - code:
MS

Port threads G - code:
G1/2 - **12**

Scheme code:
04

Adjustment code:
A; B; C
(see table above)

Pressure range code
valve "A":
10; 25

Adjustment code:
A; B; C
(see table above)

Pressure range code
valve "B":
10; 25







**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV




BVR .. 05 ..



Type	Flow rate max. "P"	Max. flow at "A"	P _{max.}	Port threads G	O-Ring
	L/min	L/min	bar	-	-
BVR 1205 ..	90	70	250	G1/2 - DIN 3852	23,6x2,65
BVR 7805 ..	90	70	250	7/8-14UNF - ISO 11926	26x2

ORDERING CODE

BV R 12 05 AL









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVS .. 05 ..



Type	Flow rate max. "P"	Max. flow at "A"	Pmax.	Port threads G	O-Ring
	L/min	L/min	bar	-	-
BVS 1205 ..	90	70	250	G1/2 - DIN 3852	23,6x2,65
BVS 7805 ..	90	70	250	7/8-14UNF - ISO 11926	26x2

ORDERING CODE

BV S 12 05 AL










**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV




BVR 12 06



Type	Nominal flow rate	Adj. pressure range	Pressure ratio	Pmax.	Port threads G	Port threads G1
	L/min	bar	-	bar	-	-
BVR 1206	60	60...250	4,25:1	250	G1/2 - DIN 3852	G1/4 - DIN 3852
BVR 7806	60	60...250	4,25:1	250	7/8-14UNF - ISO 11926	7/16-20UNF - ISO 11926
BVR 2206	60	60...250	4,25:1	250	M22x1,5 - DIN 3852	M14x1,5 - DIN 3852

ORDERING CODE

BV R 12 06











**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVS 12 06



Type	Nominal flow rate	Adj. pressure range	Pressure ratio	Pmax.	Port threads G	Port threads G1
	L/min	bar	-	bar	-	-
BVS 1206	60	60...250	4,25:1	250	G1/2 - DIN 3852	G1/4 - DIN 3852
BVS 7806	60	60...250	4,25:1	250	7/8-14UNF - ISO 11926	7/16-20UNF - ISO 11926
BVS 2206	60	60...250	4,25:1	250	M22x1,5 - DIN 3852	M14x1,5 - DIN 3852

ORDERING CODE

BV S 12 06







**Hidro
Pnevmo
Tehnika**

3, Vojvodi St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVT ... 06



Type	Nominal flow rate	Adj. pressure range	Pressure ratio	P _{max.}	Port threads G	Port threads G1
	<i>L/min</i>	<i>bar</i>	-	<i>bar</i>	-	-
BVT 3406	100	60...250	4,25:1	250	G3/4 - DIN 3852	G1/4 - DIN 3852
BVT 111606	100	60...250	4,25:1	250	1 1/16-12UN - ISO 11926	7/16-20UNF - ISO 11926
BVT 2706	100	60...250	4,25:1	250	M27x2 - DIN 3852	M14x1,5 - DIN 3852

ORDERING CODE

BV T 34 06











**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVR 12 07



Type	Nominal flow rate	Adj. pressure range	Pressure ratio	P _{max.}	Port threads G	Port threads G1
	L/min	bar	-	bar	-	-
BVR 1207	60	60...250	4,25:1	250	G1/2 - DIN 3852	G1/4 - DIN 3852
BVR 7807	60	60...250	4,25:1	250	7/8-14UNF - ISO 11926	7/16-20UNF - ISO 11926
BVR 2207	60	60...250	4,25:1	250	M22x1,5 - DIN 3852	M14x1,5 - DIN 3852

ORDERING CODE

BV R 12 07










**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVS 12 07



Type	Nominal flow rate	Adj. pressure range	Pressure ratio	P _{max.}	Port threads G	Port threads G1
	L/min	bar	-	bar	-	-
BVS 1207	60	60...250	4,25:1	250	G1/2 - DIN 3852	G1/4 - DIN 3852
BVS 7807	60	60...250	4,25:1	250	7/8-14UNF - ISO 11926	7/16-20UNF - ISO 11926
BVS 2207	60	60...250	4,25:1	250	M22x1,5 - DIN 3852	M14x1,5 - DIN 3852

ORDERING CODE

BV S 12 07









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVT 34 07



Type	Nominal flow rate	Adj. pressure range	Pressure ratio	P _{max.}	Port threads G	Port threads G1
	L/min	bar	-	bar	-	-
BVT 3407	100	60...250	4,25:1	250	G3/4 - DIN 3852	G1/4 - DIN 3852
BVT 111607	100	60...250	4,25:1	250	1 1/16-12UN - ISO 11926	7/16-20UNF - ISO 11926
BVT 2707	100	60...250	4,25:1	250	M27x2 - DIN 3852	M14x1,5 - DIN 3852

ORDERING CODE

BV T 34 07









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com


HYDRAULIC MOTOR BLOCKS TYPE BV



BVR 12 08/-... .



Pressure range			
Code	Standard setting (Q=5l/min)	Adj. pressure range	Colour
	bar	bar	-
10	80	10...100	White
25	180	30...250	Yellow




Code	Adjustment
A	Leakproof hex. socket screw
B	Handknob and locknut
C	Sealing cap

Type	Nom. flow rate	P _{max.}	Port threads G
	L/min	bar	-
BVR 1208 /-... .	50	250	G1/2 - DIN 3852

ORDERING CODE

BV R 12 08 / A10 A - B25 A








**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV




BVS 12 08../... ..



Pressure range			
Code	Standard setting (Q=5l/min)	Adj. pressure range	Colour
	bar	bar	-
10	80	10...100	White
25	180	30...250	Yellow

Code	Adjustment
A	Leakproof hex. socket screw
B	Handknob and locknut
C	Sealing cap



Type	Nom. flow rate	P _{max.}	Port threads G
	L/min	bar	-
BVS 1208 /... ..	50	250	G1/2 - DIN 3852
BVS 2208 /... ..	50	250	M22x1,5 - DIN 3852

ORDERING CODE

BV S 12 08 AL / A10 A - B25 A

Type	Hydraulic motor type - code: MS	Adjustment code: A; B; C (see table above)	Adjustment code: A; B; C (see table above)
Port threads G - code G1/2 - 12 M22x1,5 - 22	Scheme code: 08	Body material - code: Cast iron - Omit Aluminium - AL	Pressure range code valve "A": 10; 25
			Pressure range code valve "B": 10; 25







**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV

BVT 34 08/.. .




Pressure range			
Code	Standard setting (Q=5l/min)	Adj. pressure range	Colour
	bar	bar	-
10	80	10...100	White
25	180	30...250	Yellow

Code	Adjustment
A	Leakproof hex. socket screw
B	Handknob and locknut
C	Sealing cap

Type	Nom. flow rate	P _{max.}	Port threads G
	L/min	bar	-
BVT 3408 /... -... .	100	250	G3/4 - DIN 3852

ORDERING CODE

BV S 34 08 ... / A10 A - B25 A








**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV




BVR 12 10/.. .



Pressure range			
Code	Standard setting (Q=5l/min) bar	Adj. pressure range bar	Colour
10	80	10...100	White
25	180	30...250	Yellow

Code	Adjustment
A	Leakproof hex. socket screw
B	Handknob and locknut
C	Sealing cap



Type	Nom. flow rate	P _{max.}	Port threads G
	L/min	bar	-
BVR 1210 /... .	50	250	G1/2 - DIN 3852

ORDERING CODE

BV R 12 10 / 10 A

Type

Hydraulic motor type - code:
MP or MR - **R**

Port threads G - code
G1/2 - **12**

Scheme code:
10

Adjustments code
A; B; C
(see table above)


Pressure range code
valve:
10; 25







**Hidro
Pnevmo
Tehnika**

3, Vojvodi St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV



BVS 12 10/.. .




Pressure range			
Code	Standard setting (Q=5l/min)		Colour
	bar	Adj. pressure range bar	
10	80	10...100	White
25	180	30...250	Yellow

Code	Adjustment
A	Leakproof hex. socket screw
B	Handknob and locknut
C	Sealing cap

Type	Nom. flow rate	P _{max.}	Port threads G
	L/min	bar	-
BVS 1210 /... .	50	250	G1/2 - DIN 3852

ORDERING CODE

BV S 12 10 / 10 A







**Hidro
Pnevmo
Tehnika**




3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV



BVR 12 12


Code	Hydraulic scheme
12	



Type	Nom. flow rate <i>L/min</i>	P _{nom.} <i>bar</i>	Port threads G
BVR 1212	50	210	G1/2 - DIN 3852

ORDERING CODE

BV R 12 12









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
 Tel.: +359 431/62 228
 Fax.: +359 431/62 019
 e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVR 12 13



Type	Nom. flow rate <i>L/min</i>	P _{nom.} <i>bar</i>	Port threads G
BVR 1213	50	210	G1/2 - DIN 3852

ORDERING CODE

BV R 12 13









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
Tel.: +359 431/62 228
Fax.: +359 431/62 019
e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV




BVR 12 14



Type	Nominal flow rate	Adj. pressure range	Pressure ratio	P _{max.}	Port threads G
	L/min	bar	-	bar	-
BVR 1214	60	60...250	4,25:1	250	G1/2 - DIN 3852

ORDERING CODE

BV R 12 14









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
 Tel.: +359 431/62 228
 Fax.: +359 431/62 019
 e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV


BVR 38 15



TECHNICAL DATA		
Max. pressure	bar	210
Nominal flow rate	L/min	60

ORDERING CODE

BV R 38 15









**Hidro
Pnevmo
Tehnika**

3, Vojeli St., Kazanlak, Bulgaria
 Tel.: +359 431/62 228
 Fax.: +359 431/62 019
 e-mail: info@hpt-bg.com
www.hpt-bg.com

HYDRAULIC MOTOR BLOCKS TYPE BV

BVR 38 16



TECHNICAL DATA		
Max. pressure	bar	210
Nominal flow rate	L/min	30

ORDERING CODE

BV R 38 16

